

October 30, 2008

Final
Program Environmental Impact Report
Volume 3 of 8

For the
San Francisco Public Utilities Commission's
WATER SYSTEM
IMPROVEMENT PROGRAM

San Francisco Planning Department File No. 2005.0159E
State Clearinghouse No. 2005092026

Draft PEIR Publication Date: June 29, 2007

Draft PEIR Public Hearing Dates:

September 5, 2007 in Sonoma

September 6, 2007 in Modesto

September 18, 2007 in Fremont

September 19, 2007 in Palo Alto

September 20, 2007 in San Francisco

October 11, 2007 in San Francisco

Draft PEIR Public Comment Period: June 29, 2007 through October 15, 2007

Comments and Responses Publication Date: September 30, 2008

Final PEIR Certification Date: October 30, 2008

City and County of San Francisco
San Francisco Planning Department

October 30, 2008

Final
Program Environmental Impact Report
Volume 3 of 8

For the
San Francisco Public Utilities Commission's
**WATER SYSTEM
IMPROVEMENT PROGRAM**

San Francisco Planning Department File No. 2005.0159E
State Clearinghouse No. 2005092026

Draft PEIR Publication Date: June 29, 2007

Draft PEIR Public Hearing Dates:

September 5, 2007 in Sonoma

September 6, 2007 in Modesto

September 18, 2007 in Fremont

September 19, 2007 in Palo Alto

September 20, 2007 in San Francisco

October 11, 2007 in San Francisco

Draft PEIR Public Comment Period: June 29, 2007 through October 15, 2007

Comments and Responses Publication Date: September 30, 2008

Final PEIR Certification Date: October 30, 2008

City and County of San Francisco
San Francisco Planning Department

TABLE OF CONTENTS

SFPUC Water System Improvement Program Program Environmental Impact Report

Page

Volume 1 (*bound separately*)

- Glossary**
- Summary**
- 1. Introduction**
- 2. Existing Regional Water System**
- 3. Program Description**

Volume 2 (*bound separately*)

- 4. WSIP Facility Projects – Setting and Impacts**

Volume 3

- 5. WSIP Water Supply and System Operations – Setting and Impacts**
- 5.1 Overview 5.1-1
 - 5.1.1 Introduction 5.1-1
 - 5.1.2 Chapter Organization 5.1-4
 - 5.1.3 Proposed Water Supply Option and System Operations 5.1-4
 - 5.1.4 Approach to the Analysis 5.1-7
 - 5.1.5 Impact Significance Determination 5.1-18
- 5.2 Plans and Policies 5.2-1
 - 5.2.1 Overview 5.2-1
 - 5.2.2 Regulatory Framework 5.2-1
 - 5.2.3 Relevant Plans, Policies, and Planning Actions 5.2-14
 - 5.2.4 Plan Consistency Evaluation 5.2-27
- 5.3 Tuolumne River System and Downstream Water Bodies 5.3.1-1
 - 5.3.1 Stream Flow and Reservoir Water Levels 5.3.1-1
 - 5.3.2 Geomorphology 5.3.2-1
 - 5.3.3 Surface Water Quality 5.3.3-1
 - 5.3.4 Surface Water Supplies 5.3.4-1
 - 5.3.5 Groundwater 5.3.5-1
 - 5.3.6 Fisheries 5.3.6-1
 - 5.3.7 Terrestrial Biological Resources 5.3.7-1
 - 5.3.8 Recreational and Visual Resources 5.3.8-1
 - 5.3.9 Energy Resources 5.3.9-1

Volume 3 (continued)**5. WSIP Water Supply and System Operations – Setting and Impacts**
(continued)

5.4	Alameda Creek Watershed Streams and Reservoirs	5.4.1-1
5.4.1	Stream Flow and Reservoir Water Levels	5.4.1-1
5.4.2	Geomorphology	5.4.2-1
5.4.3	Surface Water Quality	5.4.3-1
5.4.4	Groundwater	5.4.4-1
5.4.5	Fisheries	5.4.5-1
5.4.6	Terrestrial Biological Resources	5.4.6-1
5.4.7	Recreational and Visual Resources	5.4.7-1
5.5	San Francisco Peninsula Streams and Reservoirs	5.5.1-1
5.5.1	Stream Flow and Reservoir Water Levels	5.5.1-1
5.5.2	Geomorphology	5.5.2-1
5.5.3	Surface Water Quality	5.5.3-1
5.5.4	Groundwater	5.5.4-1
5.5.5	Fisheries	5.5.5-1
5.5.6	Terrestrial Biological Resources	5.5.6-1
5.5.7	Recreational and Visual Resources	5.5.7-1
5.6	Westside Groundwater Basin Resources	5.6-1
5.6.1	Setting	5.6-1
5.6.2	Impacts	5.6-22
5.7	Cumulative Projects and Impacts Related to WSIP Water Supply and System Operations	5.7-1
5.7.1	Introduction and Approach	5.7-2
5.7.2	Cumulative Effects on the Tuolumne River System and Downstream Water Bodies	5.7-5
5.7.3	Cumulative Effects on Alameda Creek Watershed Streams and Reservoirs	5.7-52
5.7.4	Cumulative Effects on San Francisco Peninsula Streams and Reservoirs	5.7-67
5.7.5	Cumulative Effects on Westside Groundwater Basin Resources	5.7-84
5.7.6	Climate Change and Global Warming	5.7-92

Volume 4 (bound separately)**6. Mitigation Measures****7. Growth-Inducement Potential and Indirect Effects of Growth****8. WSIP Variants and Impact Analysis****9. CEQA Alternatives****10. Impact Overview**

Volume 5 (bound separately)**Appendices**

- A. Notice of Preparation / Scoping Report
- B. WSIP Initial Study Checklist
- C. WSIP Facility Improvement Project Information
- D. Biological Resources: Special Status Species in Alameda and Peninsula Watersheds
- E. Growth Inducement Potential and Supporting Information
- F. Noise and Traffic Background Data
- G. Hazardous Materials
- H. Modeling Analysis – Water Supply and System Operations
 - H1. Hydrologic Modeling Report
 - H2. Hydrologic Modeling – Supporting Information
 - H3. Temperature Modeling Report
- I. Report Preparers

Volume 6 – Comments (bound separately)

- 11. Introduction to Comments and Responses
- 12. Comment Letters

Volume 7 – Responses (bound separately)

- 13. Introduction to Responses and WSIP Revisions
- 14. Master Responses
- 15. Responses to Individual Comments
- 16. Staff-Initiated Text Changes

Volume 8 – Appendices (bound separately)

- J. Draft PEIR Notification and Public Hearing Materials
 - J1. PEIR Hearing Summary
 - J2. Draft PEIR Mailing List
 - J3. PEIR NOA and Meeting Notification
 - J4. Draft PEIR Legal Notices and Display Ads
- K. Attachment Log
- L. Form Letter 1 Submittals
- M. Comment Letters Received After December 31, 2007
- N. Technical Memorandum – Estimation of Flow Changes in Lower Alameda Creek with Implementation of the WSIP
- O. Hydrologic Modeling – Additional Supporting Information
 - O1. Updated HH/LSM Assumptions and Results—Proposed WSIP
 - O2. Updated HH/LSM Assumptions and Results—Modified WSIP Alt.
 - O3. Updated HH/LSM Assumptions and Results—Phased WSIP Variant
 - O4. Analysis of WSIP upon the San Joaquin River and the Sacramento-San Joaquin Delta

	<u>Page</u>
List of Figures	
5.1-1 Overview of Water Supply Watersheds in the SFPUC Regional Water System	5.1-2
5.1-2 Annual Average Historical and Projected Future Customer Purchase Requests	5.1-6 <i>Revised</i>
5.1-3 Approach to Impact Analysis on Water Resources	5.1-8
5.1-4 Water Supply Sources and Shortages – Existing Conditions	5.1-19
5.1-5 Water Supply Sources and Shortages – 2030 WSIP Conditions	5.1-20
5.2-1 Tuolumne River, Wild and Scenic River Designation	5.2-9
5.3.1-1a Tuolumne River Watershed, Headwaters to Don Pedro Reservoir	5.3.1-3
5.3.1-1b Tuolumne River Watershed, Don Pedro Reservoir to San Joaquin River	5.3.1-4
5.3.1-2 Tuolumne River Schematic Showing Water and Hydropower Facilities	5.3.1-6
5.3.1-3 Hetch Hetchy Reservoir, Historical Water Levels, 1989 to 2005	5.3.1-7
5.3.1-4 Lake Lloyd, Historical Water Levels, 1989 to 2005	5.3.1-9
5.3.1-5 Lake Eleanor, Historical Water Levels, 1989 to 2005	5.3.1-10
5.3.1-6 Don Pedro Reservoir, Historical Water Levels, 1989 to 2005	5.3.1-11
5.3.1-7 San Joaquin River Watershed	5.3.1-15
5.3.1-8 Average Monthly Storage Volume, Hetch Hetchy Reservoir	5.3.1-22
5.3.1-9 Hetch Hetchy Storage and Releases to the Tuolumne River	5.3.1-23
5.3.1-10 Hetch Hetchy Reservoir Storage and Inflow, Calendar Year 1999	5.3.1-28
5.3.1-11 Average Monthly Storage Volume, Don Pedro Reservoir	5.3.1-31
5.3.1-12 Don Pedro Storage and La Grange Releases to the Tuolumne River	5.3.1-33
5.3.1-13 Don Pedro Reservoir Storage and Inflow, Calendar Year 2000	5.3.1-37
5.3.3-1 Tuolumne River Water Temperature at River Mile 43.4	5.3.3-4
5.3.3-2 Typical Summertime Water Temperature Gradient in Hetch Hetchy and Don Pedro Reservoirs	5.3.3-5
5.3.3-3 Longitudinal Profile of Simulated Mean Daily Water Temperature from La Grange Dam to San Joaquin River, June 1993	5.3.3-18
5.3.3-4 Longitudinal Profile of Simulated Mean Daily Water Temperature from La Grange Dam to San Joaquin River, June 1999	5.3.3-19
5.3.8-1 Principal Recreational Resources Tuolumne River System	5.3.8-2
5.3.8-2 Whitewater Rafting Condition Thresholds for the Cherry Creek Run	5.3.8-6
5.3.8-3 Whitewater Rafting Condition Thresholds for the Lumsden Run	5.3.8-8
5.3.8-4 Example of a Pulse and Release for Whitewater Recreation	5.3.8-9
5.3.8-5 Don Pedro Reservoir Annual Visitation	5.3.8-17
5.3.8-6 Don Pedro Reservoir Average Annual Reservoir Depth and Recreational Uses	5.3.8-26
5.4.1-1 Alameda Creek Drainage Areas	5.4.1-2
5.4.1-2 Alameda Watershed Facilities	5.4.1-5
5.4.1-3 Calaveras Reservoir, Historical Water Levels, 1998 to 2006	5.4.1-8
5.4.1-4 San Antonio Reservoir, Historical Water Levels, 1998 to 2006	5.4.1-15
5.4.1-5 Calaveras Storage and Releases to Calaveras Creek	5.4.1-20
5.4.1-6 Reservoir Storage Volume, Annual Average Calaveras Reservoir	5.4.1-21
5.4.1-7 Chronological Modeled Release of Water below Calaveras Dam	5.4.1-23
5.4.1-8 Flows in Alameda Creek below the Diversion Dam	5.4.1-26
5.4.1-9 Alameda Creek Above and Below Diversion Dam – Flow Rates Upstream and Downstream of Tunnel during “Wet” Water Years	5.4.1-28
5.4.1-10 Alameda Creek Above and Below Diversion Dam – Flow Rates Upstream and Downstream of Tunnel during “Above-Normal” Water Years	5.4.1-29

Page**List of Figures (continued)**

5.4.1-11	Alameda Creek above and below Diversion Dam – Real-Time Flow Rates vs. Daily Mean Flows	5.4.1-30	
5.4.1-12	Alameda Creek below Calaveras Creek Confluence	5.4.1-31	
5.4.1-13	Flow in Alameda below the Calaveras Creek Confluence	5.4.1-34	
5.4.1-14	Chronological Operation of San Antonio Reservoir	5.4.1-37	<i>Revised</i>
5.4.1-15	San Antonio Reservoir Releases to San Antonio Creek	5.4.1-38	
5.4.1-13	Chronological Flows in Alameda Creek at the Confluence with San Antonio Creek	5.4.1-41	
5.4.3-1	Temperature Profiles for Calaveras Reservoir, 1998	5.4.3-2	
5.4.4-1	Sunol Groundwater Basin Groundwater Elevations and Flow Directions	5.4.1-3	
5.4.5-1	Potential Barriers to Fish Migration in Alameda Creek Watershed	5.4.5-8	
5.5.1-1	Peninsula Watersheds and Drainages	5.4.1-2	
5.5.1-2	Peninsula Watershed Facilities and Flow Locations Analyzed	5.5.1-3	
5.5.1-3	San Andreas Reservoir, Historical Water Levels, 1998 to 2006	5.5.1-6	
5.5.1-4	Crystal Springs Reservoir, Historical Water Levels, 1998 to 2006	5.5.1-7	
5.5.1-5	Pilarcitos Creek Watershed	5.5.1-8	
5.5.1-6	Pilarcitos Reservoir, Historical Water Levels, 1998 to 2006	5.5.1-10	
5.5.1-7	Reservoir Storage Volume, Annual Average Crystal Springs Reservoir	5.5.1-15	
5.5.1-8	Crystal Springs Storage and Release to San Mateo Creek	5.5.1-17	
5.5.1-9	Reservoir Storage Volume, Annual Average San Andreas Reservoir	5.5.1-18	<i>Revised</i>
5.5.1-10	Pilarcitos Reservoir Storage and Stream Release	5.5.1-20a	<i>New</i>
5.6-1	Westside Groundwater Basin Monitoring Network and Major Production Wells	5.6-2	
5.6-2	Regional Cross Section through Westside Groundwater Basin	5.6-3	
5.6-3	Historical Pumping in South Westside Groundwater Basin	5.6-7	
5.6-4	Recent Municipal Pumping in Westside Groundwater Basin	5.6-9	
5.6.5	Contours of Equal Groundwater Elevations, Shallow Aquifer, Spring 2005	5.6-11	
5.6.6	Contours of Equal Groundwater Elevations Primary Production Aquifer, Spring 2005	5.6-12	
5.6.7	Long-Term Lake Level Hydrograph Lake Merced (South Lake)	5.6-14	
5.7-1	Current and Unimpaired Average Monthly Flows in the Tuolumne River below Hetch Hetchy Reservoir	5.7-25	
5.7-2	Current and Unimpaired Average Monthly Flows in the Tuolumne River below La Grange Dam	5.7-35	
5.7-3	Future Projects in the Alameda Creek Watershed Considered in the Cumulative Analysis	5.7-55	<i>Revised</i>
5.7-4	Future Projects in the Peninsula Watershed Considered in the Cumulative Analysis	5.7-71	<i>Revised</i>
5.7.5	Projected Decreases in Snow Pack in the Hetch Hetchy Watershed Due to Climate Change, 2000 to 2050	5.7-95	

List of Tables

5.1-1	Modeling Assumptions Used in the CEQA Analysis	5.1-12
5.1-2	HH/LSM Output Parameters	5.1-15
5.2-1	Applicable Federal, State, and Local Statutes and Agreements	5.2-3
5.2-2	Summary of General Plan Policies of Counties with Surface Water and Groundwater Resources Potentially Affected by the Proposed WSIP Water Supply and System Operations	5.2-26
5.3.1-1	Mean Monthly Stream Flows at Selected Locations on Waterways Potentially Affected by the WSIP	5.3.1-12

	<u>Page</u>
List of Tables (continued)	
5.3.1-2 Schedule of Average Daily Minimum Required Releases to Support Fisheries below O'Shaughnessy Dam	5.3.1-13
5.3.1-3 Minimum Instream Flow Requirements – Tuolumne River at La Grange Bridge	5.3.1-14
5.3.1-4 Summary of Impacts – Stream Flow in the Tuolumne River System and Downstream Waterbodies	5.3.1-21
5.3.1-5 Estimated Average Monthly Flows for the Tuolumne River below O'Shaughnessy Dam under Various Conditions	5.3.1-26
5.3.1-6 Estimated Average Monthly Flows for the Tuolumne River below La Grange under Various Conditions	5.3.1-35
5.3.2-1 Summary of Impacts – Geomorphology of the Tuolumne River System and Downstream Waterbodies	5.3.2-6
5.3.3-1 Summary of Temperature Data, Hetch Hetchy Reservoir	5.3.3-2
5.3.3-2 Maximum Summer–Fall Water Temperatures in the Tuolumne River from La Grange Dam to Modesto 1996–2004	5.3.3-3
5.3.3-3 Water Quality Data Summary, San Joaquin River at Vernalis above Normal (2000)/Dry (2002)	5.3.3-6
5.3.3-4 Water Quality Characteristics at Selected Stations within the Delta	5.3.3-8
5.3.3-5 Water Quality Data Summary, Banks Pumping Plant Above Normal (2000)/Dry (2002)	5.3.3-8
5.3.3-6 Pertinent Water Quality Objectives for the San Joaquin River Basin	5.3.3-10
5.3.3-7 Section 303(d) List of Impaired Water Bodies	5.3.3-11
5.3.3-8 Summary of Impacts – Surface Water Quality in the Tuolumne River System and Downstream Waterbodies	5.3.3-14
5.3.3-9 Average Flows for Conditions Where Water Temperatures Could Be Adversely Affected (Tuolumne River below Hetch Hetchy)	5.3.3-16
5.3.3-10 Comparison of Storage, Cool Water Pool Volumes, and Depth to Thermocline for Don Pedro Reservoir under Existing Conditions and with the WSIP	5.3.3-17
5.3.4-1 Flow and Water Quality Objectives for San Joaquin River at Vernalis	5.3.4-3
5.3.4-2 Flow Objectives for Sacramento-San Joaquin Delta	5.3.4-4
5.3.4-3 Summary of Impacts – Surface Water Supplies of Downstream Users	5.3.4-5
5.3.4-4 Average Monthly Changes in Tuolumne River Flow below La Grange Dam Attributable to the WSIP	5.3.4-7
5.3.4-5 Recorded San Joaquin River Flow at Vernalis (1969 – 2002)	5.3.4-8
5.3.5-1 Summary of Impacts – Groundwater Bodies in the Tuolumne River Watershed	5.3.5-4
5.3.6-1 Fish Species Known to Inhabit Tuolumne River Tributaries, Hetch Hetchy and Don Pedro Reservoirs, Lake Lloyd, and Lake Eleanor	5.3.6-5
5.3.6-2 Tuolumne River Spawning Survey Summary	5.3.6-15
5.3.6-3 Non-Salmonid Species Present in the Lower Tuolumne River	5.3.6-19
5.3.6-4 Summary of Impacts – Fisheries in the Tuolumne River System and Downstream Waterbodies	5.3.6-25
5.3.7-1 Potential for Occurrence of Key Special-Status Plants and Plant Species of Concern in the WSIP Tuolumne Watershed Program Area	5.3.7-6
5.3.7-2 Potential for Occurrence of Key Special-Status Animals and Animal Species of Concern in the WSIP Tuolumne Watershed Program Area	5.3.7-7
5.3.7-3 Summary of Impacts – Terrestrial Biological Resources in the Tuolumne River Watershed	5.3.7-19
5.3.8-1 Whitewater Rafting Condition Thresholds for the Cherry Creek Run	5.3.8-6
5.3.8-2 Whitewater Rafting Condition Thresholds for the Lumsden Run	5.3.8-7
5.3.8-3 Annual Boater Use on the Tuolumne River (1984–2005)	5.3.8-11

	<u>Page</u>
List of Tables (continued)	
5.3.8-4 Private Boater Use by Month (1990–2002)	5.3.8-13
5.3.8-5 Summary of Impacts – Recreational and Visual Resources in the Tuolumne River System	5.3.8-22
5.3.8-6 Estimated Average Monthly Flows in the Tuolumne River Immediately below the Cherry Creek Confluence under Various Conditions	5.3.8-29
5.3.8-7 Flow in the Tuolumne River Immediately below the Cherry Creek Confluence under Existing Conditions	5.3.8-30
5.3.8-8 Flow in the Tuolumne River Immediately below the Cherry Creek Confluence with the WSIP	5.3.8-31
5.3.9-1 Summary of Impacts – Energy Resources along Tuolumne River System	5.3.9-2
5.4.1-1 Areas of Alameda Creek Sub-Watersheds in the WSIP Study Area	5.4.1-4
5.4.1-2 Historical Calaveras Reservoir Spillway Releases (Uncontrolled)	5.4.1-10
5.4.1-3 Approximate Calaveras Cone Valve Releases Since 2001 (Controlled)	5.4.1-11
5.4.1-4 Historical Record of Alameda Creek Flow above the Diversion Dam	5.4.1-12
5.4.1-5 Alameda Creek Number of Days Exceeding 650 cfs Flow, Measures above the Diversion Dam – 1997 to 2007	5.4.1-13
5.4.1-6 Summary of Impacts – Stream Flow in Alameda Creek Watershed Streams and Reservoirs	5.4.1-18
5.4.1-7 Estimated Average Monthly Releases from Calaveras Reservoir to Calaveras Creek	5.4.1-24
5.4.1-8 Estimated Average Monthly Flow in Alameda Creek below the Calaveras Creek Confluence	5.4.1-32
5.4.1-9 Minimum Flows below the Confluence of Alameda and Calaveras Creeks	5.4.1-33
5.4.1-10 Estimated Average Monthly Releases from San Antonio Reservoir to San Antonio Creek	5.4.1-40
5.4.1-11 Estimated Average Monthly Flow in Alameda Creek below San Antonio Creek Confluence	5.4.1-42
5.4.2-1 Summary of Impacts – Geomorphology of Alameda Creek Watershed	5.4.2-3
5.4.3-1 Summary of Water Quality in Calaveras Reservoir	5.4.3-3
5.4.3-2 Summary of Water Quality in San Antonio Reservoir	5.4.3-4
5.4.3-3 Summary of Temperature Data, Alameda Creek near Sunol, 1997–2005	5.4.3-5
5.4.3-4 Summary of TDS Data, Alameda Creek near Sunol, 1997–2005	5.4.3-6
5.4.3-5 Alameda Drainage Water Quality Regulations	5.4.3-7
5.4.3-6 Summary of Impacts – Surface Water Quality in Alameda Creek Watershed Streams and Reservoirs	5.4.3-7
5.4.4-1 Summary of Impacts – Groundwater Bodies in Alameda Creek Watershed	5.4.4-6
5.4.5-1 Fish Species Observed in the Alameda Creek Watershed	5.4.5-13
5.4.5-2 Summary of Impacts – Fisheries in Alameda Creek Watershed Streams and Reservoirs	5.4.5-17
5.4.6-1 Potential for Occurrence of Natural Communities in the Alameda Watershed WSIP Program Area	5.4.6-4
5.4.6-2 Potential for Occurrence of Key Special-Status Plants and Plant Species of Concern in the WSIP Alameda Watershed Program Area	5.4.6-7
5.4.6-3 Potential for Occurrence of Key Special-Status Animals and Animal Species of Concern in WSIP Alameda Watershed Program Area	5.4.6-8
5.4.6-4 Summary of Impacts – Terrestrial Biological Resources in the Alameda Creek Watershed	5.4.6-15

	<u>Page</u>
List of Tables (continued)	
5.4.7-1 Summary of Impacts – Recreational and Visual Resources in the Alameda Creek Watershed	5.4.7-5
5.5.1-1 Summary of Impacts – Stream Flow in San Francisco Peninsula Streams	5.5.1-14
5.5.1.2 Average Monthly Changes in Pilarcitos Creek Flow below Pilarcitos Reservoir Attributable to the WSIP	5.5.1-20b <i>New</i>
5.5.2-1 Summary of Impacts – Geomorphology of San Francisco Peninsula Streams and Reservoirs	5.5.2-3
5.5.3-1 Water Quality in San Mateo Creek below Crystal Springs Reservoir	5.5.3-3
5.5.3-2 Summary of Impacts – Water Quality of San Francisco Peninsula Streams and Reservoirs	5.5.3-5
5.5.4-1 Summary of Groundwater Quality Parameters, Lower Pilarcitos Creek Basin	5.5.4-2
5.5.4-2 Summary of Impacts – Groundwater Bodies in Peninsula Watershed	5.5.4-2
5.5.5-1 Summary of Impacts – Fisheries in San Francisco Peninsula Streams and Reservoirs	5.5.5-6
5.5.6-1 Potential for Occurrence of Natural Communities in and near the WSIP in the Peninsula Watershed	5.5.6-3
5.5.6-2 Key Special-Status Plants and Plant Species of Concern in the WSIP Peninsula Watershed Operational Area	5.5.6-6
5.5.6-3 Key Special-Status Animals and Animal Species of Concern in the WSIP Peninsula Watershed Operational Area	5.5.6-7
5.5.6-4 Summary of Impacts – Terrestrial Biological Resources in the Peninsula Watershed	5.5.6-14
5.5.7-1 Summary of Impacts – Recreational and Visual Resources in the Peninsula Watershed	5.5.7-5
5.6-1 Summary of Impacts – Westside Groundwater Basin	5.6-23
5.7-1 Projects Which May Contribute to Cumulative Effects	5.7-14
5.7-2 Summary of Cumulative Impacts in the Tuolumne River System and Downstream Water Bodies Related to WSIP Water Supply and System Operations	5.7-23
5.7-3 Estimated Flood Peaks in the Tuolumne River below Hetch Hetchy Reservoir	5.7-26
5.7-4 Hetch Hetchy Reservoir Modeled Minimum Stream Releases with Discretionary Flow Fishery Releases	5.7-30
5.7-5 Cumulative Effects on the Tuolumne River between Hetch Hetchy and Don Pedro Reservoirs	5.7-33
5.7-6 Estimated Flood Peaks in the Tuolumne River below La Grange Dam	5.7-35
5.7-7 Flow in the Tuolumne River below La Grange Dam – Existing Condition Plus Infiltration Gallery Project	5.7-40
5.7-8 Flow in the Tuolumne River below La Grange Dam – Existing Condition Plus Infiltration Gallery Project	5.7-41
5.7-9 Cumulative Effects on the Tuolumne River between La Grange Dam and the San Joaquin River	5.7-43
5.7-10 Flow in the Tuolumne River below La Grange Dam – WSIP Plus Infiltration Gallery Project	5.7-44
5.7-11 Flow in the Tuolumne River below La Grange Dam – WSIP Plus Infiltration Gallery Project	5.7-45
5.7-12 Cumulative Effects on the San Joaquin River, Stanislaus River, and Delta	5.7-50

	<u>Page</u>
List of Tables (continued)	
5.7-13 Future Projects in the Alameda Creek Watershed Considered in the Cumulative Analysis	5.7-57
5.7-14 Summary of Cumulative Impacts in the Alameda Creek Watershed Related to WSIP Water Supply and System Operations	5.7-61
5.7-15 Cumulative Effects on the Alameda Creek Watershed	5.7-65
5.7-16 Future Projects in the Peninsula Watershed Considered in the Cumulative Analysis	5.7-68
5.7-17 Summary of Cumulative Impacts in the Peninsula Watershed Related to WSIP Water Supply and System Operations	5.7-74
5.7-18 Cumulative Effects on the San Mateo Creek Watershed	5.7-79
5.7-19 Cumulative Effects on the Pilarcitos Creek Watershed	5.7-83
5.7-20 Summary of Cumulative Impacts in the Westside Groundwater Basin Related to WSIP Water Supply and System Operations	5.7-89
5.7-21 Annotated Bibliography on Climate Change/Global Warming	5.7-93